

The Dimplex **Electric Fireplace** Collection



Experience Better Living.



Season
2023/2024

Experience
Innovation



Linear Electric Fireplaces

NEW!	Ignite Evolve	3-4
	Ignite Bold	5-6
	Ignite XL®	7-8
	Slim Linear	9-10
	SIL	11-12
	Specifications	13

Hardwire / Plug-in Fireboxes

	Revillusion®	15-16
	BF Series	17-18
	Nova Series	19-20
	DF Series	21-22
	Specifications	23

Water Vapor Fireplaces

NEW!	Optimyst® Linear	25-26
	Optimyst® Cassettes	27-28
	Optimyst® Pro Box	29-30
	Optimyst® Accessories	31-32
	Specifications	33

Log Sets & Inserts

	Revillusion Log Sets	35-36
	DFI Inserts	37-38
	Specifications	39

Mantels

	Featherston	41-42
	Fieldstone	43-44
	Royce	45-46



Linear electric fireplaces offer a host of benefits that elevate the aesthetics and comfort of any space. Their stylish and sleek design, characterized by clean lines and customizable features, allows them to seamlessly blend into any décor. With their contemporary shape, they effortlessly accommodate the trend of hanging TV's above them, making them a perfect solution for family living spaces. Simply change the ember bed to dramatically transform the look and feel of a linear electric fireplace from ultra-modern to a more traditional, comforting ambiance.

Unlike wood or gas fireplaces, electric fireplaces require no maintenance, and can operate without heat for year-round enjoyment. They are safe for pets and children, as the fireplaces don't get hot to the touch.

NEW!



Ignite Evolve
Linear Electric Fireplaces

Comfort & Aesthetic

Stunning flames, ember bed and lifelike driftwood work together to create an authentic fire experience.

Energy Efficiency

Patented Comfort\$aver® technology reduces energy usage while keeping the room temperature stable and cozy.

Complete Personalization

Endless personalization of the flame speed, color and ember bed to make this fireplace unique to you.

Key Benefits



Edgeless design, less frame, more flame

5 flame speeds

ComfortSaver® heating system

Multi-Fire® flame effect

Ambient light sensor

Smart self-diagnostics

Hidden Touch controls



Enjoy 365 days with or without heat



Large and medium acrylic crystals, tumbled glass embers and driftwood

Mirrored glass backer to enhance flame effect

11-3/4 (29.7 cm) viewing height

EVO50
50" Linear
Electric Fireplace

Product Dimensions with trim (WxHxD)
51-1/2 × 16-1/2 × 5-7/8 in
130.6 × 41.9 × 14.9 cm

Carton Dimensions (WxHxD)
56-3/8 × 21-1/4 × 12 in
143.2 × 54.0 × 30.5 cm

Packaged Weight
73.9 lbs / 33.5 kg

UPC
781052151987

EVO60
60" Linear
Electric Fireplace

Product Dimensions with trim (WxHxD)
61-1/2 × 16-1/2 × 5-7/8 in
156.0 × 41.9 × 14.9 cm

Carton Dimensions (WxHxD)
68-3/8 × 21-1/4 × 12 in
173.7 × 54.0 × 30.5 cm

Packaged Weight
86.8 lbs / 39.4 kg

UPC
781052151994

EVO74
74" Linear
Electric Fireplace

Product Dimensions with trim (WxHxD)
75-1/2 × 16-1/2 × 5-7/8 in
191.6 × 41.9 × 14.9 cm

Carton Dimensions (WxHxD)
80-3/8 × 21-1/4 × 12 in
204.2 × 54.0 × 30.5 cm

Packaged Weight
104.7 lbs / 47.5 kg

UPC
781052152007

EVO100
100" Linear
Electric Fireplace

Product Dimensions with trim (WxHxD)
101-1/2 × 16-1/2 × 5-7/8 in
257.6 × 41.9 × 14.9 cm

Carton Dimensions (WxHxD)
106-3/8 × 21-1/4 × 12 in
270.2 × 54.0 × 30.5 cm

Packaged Weight
137.6 lbs / 62.4 kg

UPC
781052152014

Accessories (sold separately)



Metal Trim Kit

Allows for installation into 2" x 4" wall construction

- EVO50 - XLFTRIM50 781052107953
- EVO60 - XLFTRIM60 781052120075
- EVO74 - XLFTRIM74 781052107977
- EVO100 - XLFTRIM100 781052107984



Total Control

For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control or hidden control panel.

NEW!
Tumbled glass



NEW!
Lifelike driftwood



Acrylic crystals



Featuring **Optiflame** technology.

The most popular electric flame technology, developed by Dimplex to create a cozy and safe fire effect.



Ignite Bold
Linear Electric Fireplaces



A Bold Statement

Incredible depth, unparalleled flames and an increased viewing height create a focal piece in your space.

Energy Efficiency

Patented Comfort\$aver® technology reduces energy usage while keeping the room temperature stable and cozy.

Design Versatility

Install the fireplace your way to fit your space. Front-facing, right or left corner and bay, all in one box.



Customize fireplace with media accent color and top light

Adjustable brightness

Air circulation mode

ComfortSaver heating system

Multi-Fire® flame effect

Smart self-diagnostics

Hidden Touch controls



Enjoy 365 days with or without heat



Small and large acrylic crystals with natural-looking driftwood

Mirrored glass backer to enhance flame effect

16-1/8 (45.6 cm) viewing height

XLF5017-XD
50" Linear Electric Fireplace

Product Dimensions with trim (WxHxD)
50-1/2 × 23-7/8 × 12-1/8 in
128.4 × 60.7 × 30.7 cm

Carton Dimensions (WxHxD)
55-1/2 × 28-5/8 × 16-3/4 in
140.9 × 72.7 × 42.5 cm

Packaged Weight
122.5 lbs / 55.5 kg

UPC
781052137226

XLF6017-XD
60" Linear Electric Fireplace

Product Dimensions with trim (WxHxD)
63-1/8 × 23-7/8 × 12-1/8 in
160.4 × 60.7 × 30.7 cm

Carton Dimensions (WxHxD)
68-3/8 × 28-5/8 × 16-3/4 in
173.7 × 72.7 × 42.5 cm

Packaged Weight
146.8 lbs / 66.6 kg

UPC
781052137233

XLF7417-XD
74" Linear Electric Fireplace

Product Dimensions with trim (WxHxD)
75-5/8 × 23-7/8 × 12-1/8 in
192.2 × 60.7 × 30.7 cm

Carton Dimensions (WxHxD)
80-1/4 × 28-5/8 × 16-3/4 in
203.8 × 72.7 × 42.5 cm

Packaged Weight
170.4 lbs / 77.3 kg

UPC
781052137257

XLF8817-XD
88" Linear Electric Fireplace

Product Dimensions with trim (WxHxD)
88-1/4 × 23-7/8 × 12-1/8 in
224.1 × 60.7 × 30.7 cm

Carton Dimensions (WxHxD)
93-1/4 × 28-5/8 × 16-3/4 in
236.9 × 72.7 × 42.5 cm

Packaged Weight
200.2 lbs / 90.8 kg

UPC
781052137264

XLF10017-XD
100" Linear Electric Fireplace

Product Dimensions with trim (WxHxD)
100-3/4 × 23-7/8 × 12-1/8 in
255.9 × 60.7 × 30.7 cm

Carton Dimensions (WxHxD)
105-1/2 × 28-5/8 × 16-3/4 in
268.0 × 72.7 × 42.5 cm

Packaged Weight
221.7 lbs / 100.5 kg

UPC
781052137271

Accessories (sold separately)



Plug Kit
XLFXDPLUG
UPC
781052139527



Linking Kit
XLFXDLINK
UPC
781052139503



Total Control
For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control or hidden control panel.

Featuring **Optiflame** technology.

The most popular electric flame technology, developed by Dimplex to create a cozy and safe fire effect.

Ignite XL[®]

Linear Electric Fireplaces



Classic Charm

Flickering flames and acrylic crystals create a stunning feature while providing ambiance to any room.

Energy Efficiency

Patented Comfort\$aver[®] technology reduces energy usage while keeping the room temperature stable and cozy.

Simple Comfort

Instantly transform your space into a cozy retreat with simple controls and zero hassles.



Edgeless design, less frame, more flame

Adjustable brightness


Comfort\$aver® heating system

Multi-Fire® flame effect

Hidden Touch controls



Enjoy 365 days with or without heat



Large and medium acrylic crystals

Mirrored glass backer to enhance flame effect

11-3/4 (29.7 cm) viewing height

Mood-maker remote

XL50
50" Linear
Electric Fireplace

Product Dimensions with trim (WxHxD)
51-1/2 × 16-1/2 × 5-7/8 in
130.6 × 41.9 × 14.9 cm

Carton Dimensions (WxHxD)
56-3/8 × 21-1/4 × 12 in
143.2 × 54.0 × 30.5 cm

Packaged Weight
73.9 lbs / 33.5 kg

UPC
781052098725

XL60
60" Linear
Electric Fireplace

Product Dimensions with trim (WxHxD)
61-1/2 × 16-1/2 × 5-7/8 in
156.0 × 41.9 × 14.9 cm

Carton Dimensions (WxHxD)
68-3/8 × 21-1/4 × 12 in
173.7 × 54.0 × 30.5 cm

Packaged Weight
86.8 lbs / 39.4 kg

UPC
781052118478

XL74
74" Linear
Electric Fireplace

Product Dimensions with trim (WxHxD)
75-1/2 × 16-1/2 × 5-7/8 in
191.6 × 41.9 × 14.9 cm

Carton Dimensions (WxHxD)
80-3/8 × 21-1/4 × 12 in
204.2 × 54.0 × 30.5 cm

Packaged Weight
104.7 lbs / 47.5 kg

UPC
781052098756

XL100
100" Linear
Electric Fireplace

Product Dimensions with trim (WxHxD)
101-1/2 × 16-1/2 × 5-7/8 in
257.6 × 41.9 × 14.9 cm

Carton Dimensions (WxHxD)
106-3/8 × 21-1/4 × 12 in
270.2 × 54.0 × 30.5 cm

Packaged Weight
137.6 lbs / 62.4 kg

UPC
781052104594

Accessories (sold separately)



Driftwood & River Rock Accessory Kit

XL50 - LF50DWS-KIT 781052102842
XL60 - LF74DWS-KIT 781052102859
XL74 - LF74DWS-KIT 781052102859
XL100 - LF100DWS-KIT 781052104617



Metal Trim Kit

Allows for installation into 2" x 4" wall construction

XL50 - XLFTRIM50 781052107953
XL60 - XLFTRIM60 781052120075
XL74 - XLFTRIM74 781052107977
XL100 - XLFTRIM100 781052107984

Featuring **Optiflame** technology.

The most popular electric flame technology, developed by Dimplex to create a cozy and safe fire effect.



SLIM

SLIM Linear Electric Fireplaces



Sleek Design

The tall, dazzling flames have an impressive height, and the patented Dimplex mirror effect provides the illusion of depth.

Clean Energy

No fuel or venting is required. All the energy supplied to the unit is converted into heat, which stays in the room to keep the space warm.

Flexible Installation

Can fit flush into 2x4 framing for simple installation or can be wall-mounted with minimal obtrusion thanks to its slim design.

Key Benefits



Slim design, installs flush into 2x4 wall 7 Flame Theme Colors Ambient light sensor Smart self-diagnostics Hidden Touch controls



Enjoy 365 days with or without heat



Removable factory-installed trim for flush mount

Mirrored glass backer to enhance flame effect

12-5/8 (32.2 cm) viewing height

PLF3614-XS
36" Slim Linear
Electric Fireplace

Product Dimensions (WxHxD)
37-1/4 x 19-1/2 x 3-7/8 in
94.6 x 49.7 x 9.9 cm

Carton Dimensions (WxHxD)
46-1/2 x 24-5/8 x 9-1/2 in
118.0 x 62.5 x 24.1 cm

Packaged Weight
57.8 lbs / 26.2 kg

UPC
781052137318

PLF4214-XS
42" Linear
Electric Fireplace

Product Dimensions (WxHxD)
43-1/4 x 19-1/2 x 3-7/8 in
109.8 x 49.7 x 9.9 cm

Carton Dimensions (WxHxD)
52 x 24-5/8 x 9-1/2 in
132.0 x 62.5 x 24.1 cm

Packaged Weight
64.8 lbs / 29.4 kg

UPC
781052137301

PLF5014-XS
50" Linear
Electric Fireplace

Product Dimensions (WxHxD)
51-1/4 x 19-1/2 x 3-7/8 in
130.1 x 49.7 x 9.9 cm

Carton Dimensions (WxHxD)
60 x 24-5/8 x 9-1/2 in
152.5 x 62.5 x 24.1 cm

Packaged Weight
74.9 lbs / 34.0 kg

UPC
781052137295

PLF6014-XS
60" Linear
Electric Fireplace

Product Dimensions (WxHxD)
61-1/4 x 19-1/2 x 3-7/8 in
155.5 x 49.7 x 9.9 cm

Carton Dimensions (WxHxD)
70 x 24-5/8 x 9-1/2 in
176.8 x 62.5 x 24.1 cm

Packaged Weight
87.1 lbs / 39.5 kg

UPC
781052137288

Accessories (sold separately)



Plug Kit
PLFXSPLUG

UPC
781052139534



Total Control

For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control or hidden control panel.

Featuring **Optiflame** technology.

The most popular electric flame technology, developed by Dimplex to create a cozy and safe fire effect.



SIL Linear Electric Fireplaces



Interchangeable Design

Transform the ambiance by customizing the look and feel of the fireplace at any time with different included ember beds.

Customizable Installation

Seamlessly integrate a fireplace into any room, with any of the three installation options that provide the perfect solution for everyone.

Effortless Comfort

Simply plug the fireplace in and instantly envelop a space in warmth and relaxation, creating a cozy haven to enjoy with ease.

Key Benefits



Tabletop Stand, Recessed
or Hang-on Wall

8 Flame
Theme Colors

Powerful
Heating

Hidden Touch
controls



Media Options Included



Interchangeable
Media Bed

Cool to the
touch glass

10-5/8 (26.8 cm)
viewing height

Multi-function
remote

SIL48
**48" Linear Electric
Fireplace**

Product Dimensions (WxHxD)
48 × 19-1/2 × 5-1/4 in
121.9 cm x 49.5 cm x 13.2 cm

Carton Dimensions (WxHxD)
53-3/8 × 22-7/8 × 9-5/8 in
135.6 × 57.9 × 24.4 cm

Packaged Weight
59.1 lbs / 26.8 kg

UPC
781052132733

SIL60
**60" Linear Electric
Fireplace**

Product Dimensions (WxHxD)
60 × 19-1/2 × 5-1/4 in
152.4 × 49.5 × 13.2 cm

Carton Dimensions (WxHxD)
65-3/4 × 23-1/2 × 9-5/8 in
167.0 × 62.0 × 24.4 cm

Packaged Weight
87.1 lbs / 39.5 kg

UPC
781052132757

SIL72
**72" Linear Electric
Fireplace**

Product Dimensions (WxHxD)
72 × 19-1/2 × 5-1/4 in
182.9 cm x 49.5 cm x 13.2 cm

Carton Dimensions (WxHxD)
77-3/4 × 24-3/4 × 9-5/8 in
197.5 × 62.0 × 24.4 cm

Packaged Weight
100.3 lbs / 45.5 kg

UPC
781052132764



Included stand allows for tabletop installation.

Product with stand
21-1/2 po (54,6 cm) tall, 11 po (27,9 cm) deep

©2023 Glen Dimplex Americas

Featuring **Optiflame** technology.

The most popular electric flame
technology, developed by Dimplex to
create a cozy and safe fire effect.





Linear Electric Fireplace Specifications

Series	Ignite Bold Series	Ignite Evolve Series	Ignite XL® Series	Slim Linear	SIL Series
Size	50", 60", 74", 88", 100"	50", 60", 74", 100"	50", 60", 74", 100"	36", 42", 50", 60"	48", 60", 72"
Ember Bed	Lifelike Driftwood with Acrylic Crystals	Tumbled Glass, Lifelike Driftwood, Acrylic Crystals	Acrylic Crystals	Acrylic Crystals	Interchangeable - Logs, Acrylic Crystals, Pebbles
Ember Bed Themes Brightness	8 Themes Adjustable Brightness	8 Themes Adjustable Brightness	8 Themes Adjustable Brightness	8 Themes Adjustable Brightness	8 Themes Adjustable Brightness
Flame Color Themes Brightness	7 Themes Adjustable Brightness	7 Themes Adjustable Brightness	1 Theme	7 Themes Adjustable Brightness	8 Themes Adjustable Brightness
Top Light	•				
Flame Effect	Multi-Fire®	Multi-Fire®	Multi-Fire®	Dimplex®	High contrast
Flame Technology	Optiflame	Optiflame	Optiflame	Optiflame	Optiflame
Flame Speed	5	5		5	
Flame Only Mode	•	•	•	•	•
Heater Only Mode	•	•	•	•	
Air Circulation	•	•			
Heat Operation	ComfortSaver® heating system			Powerful supplemental heating	Powerful supplemental heating
Heating Range	1000 sq. ft.	1000 sq. ft.	1000 sq. ft.	1000 sq. ft.	1000 sq. ft.
Heat Disable	Onboard controls or Hardware disconnect			Onboard controls or Hardware disconnect	Onboard Controls Only
Built-in Thermostat	•	•	•	•	•
Wiring Type	Hardwire (120V Plug Kit Sold Separately)	Hardwire (Optional 120V Plug Kit Included)	Hardwire (Optional 120V Plug Kit Included)	Hardwire (120V Plug Kit Sold Separately)	Plug-in
Volts	120 240	120 240	120 240	120	120
Watts	1500 2500	1500 2500	1500 2500	1500	1400
BTU	5118 8530	5118 8530	5118 8530	5118	4777
Operating Controls	Hidden touch controls Remote	Hidden touch controls Remote	Hidden touch controls Remote	Hidden touch controls Remote	Touch controls Remote
Flame Connect App	•	•		•	
Self Diagnostics	•	•		•	
Display	•	•	•	•	•
Timer	•	•	•	•	•
Installation Options	Fully recessed - front, right/left corner and bay. Linking Kit - to connect multiple units	Fully recessed - 2x6, Partially recessed, 2x4 with trim-kit accessory		Fully recessed - 2x4, Wall-mount	Fully recessed Wall-mount, Free-standing
Optional Accessories	Modular Linking Kit, Plug Kit	Trim Kit	Driftwood & River Rock Kit, Trim Kit	Plug Kit	
Warranty	5-year parts and service	5-year parts and service	5-year parts and service	2-year parts and service	1-year parts



Electric fireboxes present a multitude of advantages that make them an ideal choice for enhancing any living space. Their versatile installation options allow them to seamlessly fit into an existing hearth space or be incorporated into custom-built mantels; offering a quick and hassle-free solution to add both warmth and ambiance into your home. These fireplaces complement any design style with multiple options for ember beds from traditional to contemporary to suit any décor style.

Enjoy the comforting glow of a traditional fire without the maintenance hassles of wood or gas fireplaces. Electric fireboxes are a safe choice for children and pets, as they remain cool to the touch. Run them year-round, with or without heat, ensuring a cozy atmosphere in any season.



Revillusion

Built-in Electric Firebox

Timeless Aesthetic

The ageless appeal of the fireplace creates an authentic, everlasting impression.

Design with Style


Tailor your fireplace to your desired look and feel by selecting between a more traditional or modern aesthetic.

Complete Perspective

Enjoy a full-depth view of the fireplace with the ability to see clearly through the flames.



What's in the box



RBF24DLX (Herringbone) **RBF24DLXWC** (Concrete) **24" Electric Firebox**

Product Dimensions (WxHxD)
25-1/4 × 22-7/8 × 12-1/8 in
64.0 × 58.1 × 30.8 cm

Carton Dimensions (WxHxD)
29-3/8 × 27-1/2 × 16-5/8 in
74.4 × 69.9 × 42.1 cm

Packaged Weight
58.2 lbs / 26.4 kg

UPC
781052120655 - Herringbone
781052129832 - Concrete

500002388 (Herringbone) **500002389** (Concrete) **30" Electric Firebox**

Product Dimensions (WxHxD)
31-1/8 × 26-5/8 × 12-1/8 in
79.2 × 67.6 × 30.8 cm

Carton Dimensions (WxHxD)
35-1/4 × 31-3/4 × 16-3/8 in
89.4 × 80.5 × 41.1 cm

Packaged Weight
84.9 lbs / 38.5 kg

UPC
781052152120 - Herringbone
781052152137 - Concrete

500002400 (Herringbone) **500002401** (Concrete) **36" Electric Firebox**

Product Dimensions (WxHxD)
37-1/8 × 26-5/8 × 12-1/8 in
94.4 × 67.6 × 30.8 cm

Carton Dimensions (WxHxD)
41-3/8 × 31-3/4 × 15-1/4 in
104.7 × 80.6 × 38.7 cm

Packaged Weight
93.7 lbs / 42.5 kg

UPC
781052152144 - Herringbone
781052152151 - Concrete

500002398 (Herringbone) **500002399** (Concrete) **36" Portrait Electric Firebox**

Product Dimensions (WxHxD)
37-1/8 × 31 × 12-1/8 in
94.4 × 78.8 × 30.8 cm

Carton Dimensions (WxHxD)
41-3/8 × 35-1/2 × 16-3/8 in
105.0 × 90.7 × 41.1 cm

Packaged Weight
105.5 lbs / 47.9 kg

UPC
781052152168 - Herringbone
781052152175 - Concrete

500002410 (Herringbone) **500002411** (Concrete) **42" Electric Firebox**


Product Dimensions (WxHxD)
43-1/4 × 31 × 12-1/8 in
109.8 × 78.8 × 30.8 cm

Carton Dimensions (WxHxD)
47-1/2 × 36-1/2 × 16-3/8 in
120.6 × 91.2 × 34.1 cm

Packaged Weight
112.7 lbs / 51.1 kg

UPC
781052152182 - Herringbone
781052152199 - Concrete

Accessories (sold separately)



Installation Trim

Model #	Trim Width	Firebox Size
RBF24TRIM36 UPC - 781052123595	36"	24"
RBF24TRIM40 UPC - 781052123618	40"	24"
RBF30TRIM38 UPC - 781052123625	38"	30"
RBF30TRIM44 UPC - 781052123601	44"	30"

Featuring **Optiflame** technology.

The most popular electric flame technology, developed by Dimplex to create a cozy and safe fire effect.



BF Series
Built-in Electric Firebox



Classic Elegance

The fireplace heating and design elements work together to provide a welcoming environment.

Traditional Design

The full brick interior brings the warmth and comfort of a traditional fireplace into your home.

Intuitive Operation

Simple-to-use controls ensure a hassle-free and enjoyable fireplace experience.



BFSL33
33" Slim Line Electric
Firebox, with trim kit

Product Dimensions (WxHxD)
35-3/4 x 29-7/8 x 9-7/8 in
90.7 x 75.8 x 25.0 cm

Carton Dimensions (WxHxD)
35-3/4 x 29-7/8 x 9-7/8 in
90.7 x 75.8 x 25.0 cm

Packaged Weight
68 lbs / 30.9 kg

UPC
781052064478



BF33DXP
33" Deluxe
Electric Firebox

Product Dimensions (WxHxD)
32-7/8 x 28-1/2 x 14-3/8 in
83.0 x 72.4 x 36.3 cm

Carton Dimensions (WxHxD)
33-1/8 x 31-1/2 x 9-1/2 in
84.1 x 80.0 x 42.6 cm

Packaged Weight
79.4 lbs / 36.1 kg

UPC
781052045781



BF39STP
39" Standard
Electric Firebox

Product Dimensions (WxHxD)
38-3/4 x 32-3/4 x 15-3/8 in
98.4 x 83.1 x 39.1 cm

Carton Dimensions (WxHxD)
39 x 34-1/2 x 17-1/2 in
99.1 x 87.6 x 44.5 cm

Packaged Weight
89.7 lbs / 40.7 kg

UPC
781052045798



BF39DXP
39" Deluxe
Electric Firebox

Product Dimensions (WxHxD)
38-3/4 x 32-3/4 x 15-1/4 in
98.4 x 83.2 x 36.2 cm

Carton Dimensions (WxHxD)
40 x 34-1/2 x 17-1/2 in
101.6 x 87.6 x 44.5 cm

Packaged Weight
87 lbs / 39.5 kg

UPC
781052045804



BF45DXP
45" Deluxe
Electric Firebox

Product Dimensions (WxHxD)
44-3/4 x 32-3/4 x 15-3/8 in
113.7 x 83.2 x 38.9 cm

Carton Dimensions (WxHxD)
45-3/4 x 35-1/2 x 17-1/2 in
116.2 x 90.2 x 38.9 cm

Packaged Weight
106.5 lbs / 48.3 kg

UPC
781052052390

Accessories (sold separately)




Bi-fold Look Glass Door

Model #	Firebox
BFDOOR33BLKSM	BF33DXP UPC - 781052041233
BFDOOR39BLKSM	BF39STP & BF39DXP UPC - 781052041257
BFDOOR45BLKSM	BF45DXP UPC - 781052041271



Tamperproof Glass Door

Model #	Firebox
BFSL33DOOR	BFSL33 UPC - 781052063778
BFGLOSS33BLK	BF33DXP UPC - 781052044623
BFGLOSS39BLK	BF39STP & BF39DXP UPC - 781052044630
BFGLOSS45BLK	BF45DXP UPC - 781052044647



Swing Glass Door

Model #	Firebox
BFSDOOR33BLK	BF33DXP UPC - 781052044593
BFSDOOR39BLK	BF39STP & BF39DXP UPC - 781052944609



Trim Kit

Model #	Firebox
BF4TRIM33	BF33DXP UPC - 781052052932
BF4TRIM39	BF39STP & BF39DXP UPC - 781052052956
BF4TRIM45	BF45DXP UPC - 781052052970



BFPLUGE

Plug Kit, includes
7 ft. cord

UPC 781052040748



BFRC-KIT

3-stage Remote Control Kit
(included with BFSL33)

UPC 781052040687



Featuring **Optiflame** technology.

The most popular electric flame
technology, developed by Dimplex to
create a cozy and safe fire effect.



Nova Series

Plug-in Electric Firebox



Quick Comfort

Simply plug-in and enjoy the flickering flames and cozy warmth.

Elevate Ambiance

Have your choice of ember beds to enhance your aesthetic, complementing a wide range of design styles.

Adaptable Installation

Retrofit into an existing fireplace or construct a custom fireplace surround or mantel to achieve your desired look.

Key Benefits



XHD23L (Realogs®)
XHD23G (Acrylic Crystals)
23" Electric Firebox

Product Dimensions (WxHxD)
 23 × 20-1/2 × 7-1/2 in
 58.4 × 52.0 × 19.1 cm

Carton Dimensions (WxHxD)
 25-5/8 × 24 × 10-5/8 in
 65.0 × 61.0 × 27.0 cm

Packaged Weight
 23 lbs / 10.4 kg

UPC
 781052115125 - Realogs
 781052115118 - Acrylic Crystals



XHD26L (Realogs®)
XHD26G (Acrylic Crystals)
26" Electric Firebox

Product Dimensions (WxHxD)
 26 × 18-7/8 × 7-1/2 in
 66.0 × 47.9 × 19.1 cm

Carton Dimensions (WxHxD)
 28-1/2 × 22-1/2 × 10-5/8 in
 72.5 × 57.0 × 27.0 cm

Packaged Weight
 25 lbs / 11.3 kg

UPC
 781052110823 - Realogs
 781052110816 - Acrylic Crystals



XHD28L (Realogs®)
XHD28G (Acrylic Crystals)
28" Electric Firebox

Product Dimensions (WxHxD)
 27-3/8 × 23-1/2 × 7-1/2 in
 69.5 × 59.7 × 19.1 cm

Carton Dimensions (WxHxD)
 30 × 26-7/8 × 11-1/8 in
 76.0 × 68.0 × 28.0 cm

Packaged Weight
 32 lbs / 14.5 kg

UPC
 781052110847 - Realogs
 781052117907 - Acrylic Crystals



XHD33L (Realogs®)
XHD33G (Acrylic Crystals)
33" Electric Firebox

Product Dimensions (WxHxD)
 33-1/8 × 23-1/4 × 7-1/2 in
 84.1 × 59.0 × 19.1 cm

Carton Dimensions (WxHxD)
 35-5/8 × 26-7/8 × 11-1/8 in
 90.5 × 68.0 × 28.0 cm

Packaged Weight
 38.6 lbs / 17.5 kg

UPC
 781052131217 - Realogs
 781052131224 - Acrylic Crystals



Realogs®

Acrylic Crystals



Multi-function remote

Featuring **Optiflame** technology.

The most popular electric flame technology, developed by Dimplex to create a cozy and safe fire effect.

DF Series
Plug-in Electric Firebox



Authentic Atmosphere

Lifelike flames and inner glow logs molded from real wood evoke the charm of a traditional hearth.

Versatile Installation

Craft your dream design with a custom fireplace surround or mantel, or seamlessly retrofit it into an existing hearth space.

Quick Comfort

Simply plug-in and enjoy the flickering flames and cozy warmth.



Patented Inner Glow Logs



Multi-function remote

**DF3033ST
33" Plug-in
Electric Firebox**

Product Dimensions (WxHxD)
33-1/8 × 23-3/8 × 9-5/8 in
84.1 × 59.4 × 24.2 cm

Carton Dimensions (WxHxD)
37-1/4 × 27-5/8 × 13 in
94.2 × 70.1 × 33.0 cm

Packaged Weight
60.4 lbs / 27.5 kg

UPC
781052054271

Featuring **Optiflame** technology.

The most popular electric flame technology, developed by Dimplex to create a cozy and safe fire effect.





Electric Firebox Specifications

Series	Revillusion Deluxe	Revillusion	BFSL Series	BF Series	Nova Series	DF Series
Size	24"	30", 36", 36"P, 42"	33"	33", 39", 45"	23", 26", 28", 33"	30", 33"
Ember Bed	Realogs®		Inner Glow Logs	Inner Glow Logs	Acrylic Crystals, Realogs®	Inner Glow Logs
Ember Bed Color Settings	•	•			•	
Interior Surround	Herringbone or Weathered Concrete Interior		Black	Black, Authentic brick-look interior	Black	Brick-look Black/3D Mirror
Flame Effect	Revillusion® Flame		Original Dimplex Flame			
Flame Technology	Optiflame	Optiflame	Optiflame	Optiflame	Optiflame	Optiflame
Flame Speed	•				•	•
Flame Only Mode	•	•	•	•	•	•
Light Settings	Mood Lighting, Brightness and Flicker, Ambient Light Sensor				Adjustable Brightness	Adjustable brightness
Heat Operation	Comfort\$aver®	Powerful Supplemental Heat Option to use 240V supply for up to 9200 BTU			Supplemental Heat	
Heating Range	Up to 1,000 sq. ft.	Up to 1,000 sq. ft.	Up to 1,000 sq. ft.	Up to 1,000 sq. ft.	Up to 1,000 sq. ft.	Up to 400 sq. ft.
Heater Only Mode	•	•	When connected to a switch or thermostat		•	•
Heater Element	Ceramic	Steel Sheathed	Steel Sheathed		Stitched Wire	Stitched Wire
Heat Disable	Onboard controls or hardwire disconnect		Hardwire disconnect only		Onboard controls	On remote control
Built-in Thermostat	•	•			•	
Connects to a Wall Thermostat			•	•		
Wiring Type	Hardwire (Optional 120V Plug Kit Included)		Hardwire (Optional 120V Plug Kit Included)		Plug-in	Plug-in
Volts	120	120 / 208 / 240	120 / 208 / 240	120 / 208 / 240	120	120
Watts	1500	1375 / 1975 / 2575	1223 / 1823 / 2423	1440 / 2100 / 2700	1465	780 1500
BTU	5118	4400 / 6745 / 8794	4173 / 6220 / 8267	4913 / 7165 / 9213	5000	2660 5118
Display	•	•			•	On remote control
Onboard Controls	Hidden-Touch Controls	Hidden-Touch Controls	Toggle	Toggle	Hidden-Touch Controls	Toggle
Timer	•	•			•	•
Optional Accessories	•	30" only	•	•	XHD26/28G only	
Remote Control	•	•	•		•	•
Warranty Include parts/ service	2-year limited	2-year limited	2-year limited	2-year limited	2-year limited	5-year limited



Elevate the fireplace experience to unprecedented heights with the cutting-edge technology of **water vapor fireplaces**. These innovative fireplaces utilize water and LED lights to craft a truly immersive 3D flame that convincingly mimics the authenticity of genuine wood or gas fires. The pinnacle of true luxury, providing a choice between a pre-built box for effortless installation – just connect to a water and electric source – or cassettes that grant you complete customization in design and orientation. You can even connect multiple cassettes together to create a fully custom dramatic focal piece that transforms your space into a work of art.

The ability to reach out and touch the flames without risk of burning yourself sets this product apart from traditional wood or gas fires. Vapor fireplaces are an incredibly safe option for any space with no noxious gas emissions and cool to the touch flames. Water vapor fireplaces provide stunning realism with simple and inexpensive maintenance, making them the perfect fireplace solution.



Optimyst® Linear
Vapor Fireplace



**Breathtaking
Ambience**

Optimyst® delivers a world class electric fireplace experience that flawlessly imitates true flames and smoke.

**Clean &
Sustainable**

Optimyst requires no fuel or venting as it runs on water and electricity and uses reduced energy for heating.

**Unparalleled
Experience**

You'll have a completely unique fire experience through personalization options; no flame shape is the same.



OLF46-AM
Optimyst® 46" Linear
Vapor Fireplace

Product Dimensions (WxHxD)
 47-1/2 × 31-1/2 × 11-7/8 in
 120.6 × 80.0 × 30.0 cm

Carton Dimensions (WxHxD)
 50-3/8 × 34-3/8 × 15-1/2 in
 127.8 × 87.1 × 39.1 cm

Packaged Weight
 150.3 lbs / 68.2 kg

UPC
 781052136786

OLF66-AM
Optimyst® 66" Linear
Vapor Fireplace

Product Dimensions (WxHxD)
 67-1/2 × 31-1/2 × 11-7/8 in
 171.4 × 80.0 × 30.0 cm

Carton Dimensions (WxHxD)
 70-3/8 × 34-3/8 × 15-1/2 in
 178.6 × 87.1 × 39.1 cm

Packaged Weight
 204.8 lbs / 92.9 kg

UPC
 781052136793

OLF86-AM
Optimyst® 86" Linear
Vapor Fireplace

Product Dimensions (WxHxD)
 87-1/2 × 31-1/2 × 11-7/8 in
 222.2 × 80.0 × 30.0 cm

Carton Dimensions (WxHxD)
 90-3/8 × 34-3/8 × 15-1/2 in
 229.4 × 87.1 × 39.1 cm

Packaged Weight
 264.5 lbs / 120 kg

UPC
 781052136809

Accessories
 (sold separately, see Page 32)

©2023 Glen Dimplex Americas



Total Control
 For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control or hidden control panel.



Featuring **Optimyst®** technology. The world's most realistic 3D electric flame effect, patented by Dimplex. This unique flame effect is generated by an innovative combination of water vapor and light.



Optimyst® Cassette Vapor Fireplace

Stunning Atmosphere

Optimyst® delivers a world class electric fireplace experience that flawlessly imitates true flames and smoke.

Clean & Sustainable

Optimyst Cassette requires no fuel or venting as it runs on water and electricity.

Limitless Installation

With endless possibilities, build the ideal fireplace in any location, bringing your dream design to life.



**CDFI500-PRO
Optimyst®
500 Cassette**

Product Dimensions (WxHxD)
20 × 9-1/2 × 12 in
50.8 × 24.1 × 30.5 cm

Carton Dimensions (WxHxD)
24-3/8 × 13-7/8 × 17-3/4 in
62.0 × 34.0 × 45.0 cm

Packaged Weight
24.2 lbs / 10.9 kg

UPC
781052113053

Accessories
(sold separately, see Page 32)

©2023 Glen Dimplex Americas



**CDFI1000-PRO
Optimyst®
1000 Cassette**

Product Dimensions (WxHxD)
40-1/8 × 9-1/2 × 12 in
101.8 × 24.1 × 30.3 cm

Carton Dimensions (WxHxD)
44-1/2 × 13-3/8 × 18-1/8 in
113.0 × 34.0 × 46.0 cm

Packaged Weight
35 lbs / 15.87 kg

UPC
781052112612

Featuring **Optimyst®** technology.

The world's most realistic 3D electric flame effect, patented by Dimplex. This unique flame effect is generated by an innovative combination of water vapor and light.





Optimyst® Pro Box
Vapor Fireplace

**Captivating
Ambiance**

Optimyst® delivers a world class electric fireplace experience that flawlessly imitates true flames and smoke.

Clean & Sustainable

Optimyst Pro Box requires no fuel or venting as it runs on water and electricity and uses reduced energy for heating.

Seamless Design


The pre-built box simplifies the installation without compromising on design.



GBF1500-PRO

UPC 781052133754

60" Built-In Electric Fireplace, **Includes the following:**



**CDFI-BX1500
Optimyst 1500 Box**

Product Dimensions (WxHxD)
65 x 31-3/4 x 16-1/4 in
165.0 x 80.5 x 41.2 cm

Carton Dimensions (WxHxD)
68-3/4 x 36-3/4 x 18-1/8 in
174.5 x 93.5 x 46.0 cm

Packaged Weight
111.5 lbs / 50.6 kg

UPC
781052133709

**FG1500
Front Glass**

Product Dimensions (WxHxD)
60-3/4 x 15-1/4 x 1-5/8 in
154.4 x 38.8 x 4.1 cm

Carton Dimensions (WxHxD)
71-3/8 x 21-5/8 x 5-1/4 in
181.5 x 55.0 x 13.5 cm

Packaged Weight
28.4 lbs / 12.88 kg

UPC
781052133716

**CDFI1000-PRO
Optimyst 1000 Cassette**

See page 28 for specifications.

**CDFI500-PRO
Optimyst 500 Cassette**

See page 28 for specifications.


Rear Glass Pane

* Above image shows product used with rear glass, sold separately, see page 32.

GBF1000-PRO

UPC 781052113022

40" Built-In Electric Fireplace, **Includes the following:**



**CDFI-BX1000
Optimyst 1000 Box**

Product Dimensions (WxHxD)
46-5/8 x 31-3/4 x 16-1/4 in
118.4 x 80.5 x 41.2 cm

Carton Dimensions (WxHxD)
48-1/2 x 37 x 18-1/8 in
123.0 x 94.0 x 46.0 cm

Packaged Weight
81.4 lbs / 37 kg

UPC
781052110618

**FG1000
Front Glass**

Product Dimensions (WxHxD)
40-5/8 x 14-1/2 x 1-5/8 in
103.0 x 36.8 x 4.1 cm

Carton Dimensions (WxHxD)
50-5/8 x 20-7/8 x 5-1/8 in
128.5 x 53.0 x 13.0 cm

Packaged Weight
19.6 lbs / 8.9 kg

UPC
781052118379

**CDFI1000-PRO
Optimyst 1000 Cassette**


See page 28 for specifications.

Featuring **Optimyst**® technology.

The world's most realistic 3D electric flame effect, patented by Dimplex. This unique flame effect is generated by an innovative combination of water vapor and light.

Accessories

(sold separately, see Page 32)



Optimyst® Accessories

Vapor Fireplace



Customizable Style

Choose from a selection of optional ember beds to create the Optimyst fireplace of your dreams.

Easy Installation

Add a plug kit or plumb kit to make installing the Optimyst Vapor Fireplaces simple.


Additional Warmth

Pair the Optimyst Cassettes with an accessory heater to add warmth in any space.



Rear Glass Pane

Allows for see-through installations for
GBF1000-PRO & GBF1500-PRO



GBF1000-GLASS

UPC 781052116979

GBF1500-GLASS

UPC 781052133723

Direct Plumbing Kit



CDFIPLUMB-KIT

UPC 781052103221

Heater



CDFI-TMHEAT

Hardwire Heater Accessory

UPC
781052121058

Log Kits



CDFILOG

UPC 781052103238

For (CDFI1000) Optimyst® 1000 Electric
Fireplace Cassette - order 2 Log Sets

For (CDFI1500) Optimyst® 1500 Electric
Fireplace Cassette - order 3 Log Sets

Media Kits



Black Rock

CDFI500-BLKRCK

UPC 781052120983

CDFI1000-BLKRCK

UPC 781052121065



River Rock

CDFI500-RVRCK

UPC 781052121003

CDFI1000-RVRCK

UPC 781052121072

CDFI1500-RVRCK

UPC 781052133785



Driftwood

CDFI500-DWSKIT

UPC 781052121034

CDFI1000-DWSKIT

UPC 781052121027

Plug Kits



CDFI-PLUGKIT

UPC
781052105591



OLFPLUG

For Optimyst Linear
Vapor Fireplaces

UPC
781052146396

For use with **Optimyst®** technology.

The world's most realistic 3D electric flame effect, patented by Dimplex. This unique flame effect is generated by an innovative combination of water vapor and light.



Vapor Fireplace Specifications

Series	Optimyst® Linear	Optimyst® Pro Built-in Fireplace	Optimyst® Cassette
Size	46", 66", 86"	40", 60"	20", 40"
Ember Bed	Lifelike Driftwood with Acrylic Crystals		
Flame Color Themes Brightness	8 Themes Adjustable Brightness		
Top Light	•		•
Flame Effect	Optimyst® Flame effect	Optimyst® Flame effect	Optimyst® Flame effect
Flame Technology	Optimyst®	Optimyst®	Optimyst®
Crackling Sound Effect	•	•	•
Flame Only Mode	•	•	•
Air Circulation	•		
Heat Operation	ComfortSaver® heating system	Supplemental heating	Heat-free (Optional Heater Accessory available)
Heating Range	1000 sq. ft.	400 sq. ft.	
Heat Disable	Onboard controls or Hardware disconnect	Manual	
Built-in Thermostat	•		
Wiring Type	Hardwire (120V Plug Kit Sold Separately)	Hardwire(120V Plug kit sold separately)	Hardwire (120V Plug kit sold separately)
Volts	120 240	120	120
Watts	46" = 1220 920 66" = 1480 2180 86" = 1020 (flame only) 2400	40" = 1460 60" = 1490	230 460
BTU	46" = 4163 6551 66" = 5050 7438 86" = 3480 (flame only) 8189	40" = 4984 60" = 5087	20" = 785 40" = 1569
Operating Controls	Hidden touch controls Remote	Membrane controls Remote	Membrane controls Remote
Flame Connect App	•		
Self Diagnostics	•	•	•
Display	•		
Timer	•		
Installation Options	Fully recessed	One-sided or Double-sided	Fully customizable
Direct Plumbing	Hard Plumb	Hard Plumb Refillable Bottles	Hard Plumb Refillable Bottles
Optional Accessories	Plumb Kit, Plug Kit	Plumb Kit, Plug Kit, Logs, Black Rock, River Rock, Driftwood, Rear Glass	Plumb Kit, Plug Kit, Logs, Black Rock, River Rock, Driftwood, Heater
Warranty	2-year parts and service	2-year parts and service	2-year parts and service
Viewing Dimensions (WxH)	46" (OLF46-AM) 44-1/4 × 14-3/8 in 112.4 × 36.3 cm 66" (OLF66-AM) 64-1/4 × 14-3/8 in 163.1 × 36.3 cm 66" (OLF66-AM) 84-1/4 × 14-3/8 in 213.8 × 36.5 cm	40" (GBF1000-PRO) 37-3/4 × 16-1/4 in 96.0 × 41.3 cm 60" (GBF1500-PRO) 58 × 16-1/4 in 147.4 × 41.3 cm	



Electric log sets and inserts offer advantages for those seeking an easy and cost-effective way to enjoy the look of a traditional wood-burning fire without the hassle. These fireplaces are convenient to install and the perfect solution for those looking to revive the charm of an existing hearth space with a realistic and efficient fireplace.

Simply remove from the box, set into your space, plug in, and enjoy the cozy atmosphere instantly.



Revillusion Plug-in Electric Log Sets



Artful Design

Realistic flames, and quality crafted logs come together to create an illusion of a true burning fire.

Complete Perspective

Enjoy a full-depth view to the back of the hearth with the ability to see clearly through the flames.

Instant Coziness

Simply plug-in and savor the gentle dance of flames and the snug warmth it brings.



RLG20
20" Revillusion® Log Set
UPC
781052104709
Optional ash mat
(not included) REM-KIT



RLG25
25" Revillusion® Log Set
UPC
781052104686

Accessories (sold separately)



REM-KIT
Ember bed for RLG20
UPC
781052106185



Featuring **Optiflame** technology.
The most popular electric flame technology, developed by Dimplex to create a cozy and safe fire effect.

DFI Series
Plug-in Electric Log Inserts



Reclaimed Charm

Revitalize an existing hearth space with the flicker of lifelike flames and the warmth of modern convenience.

Seamless Installation

With virtually no setup required, effortlessly incorporate a fireplace into your space.

Instant Coziness

Simply plug-in and savor the gentle dance of flames and the snug warmth it brings.



Accessories (sold separately)



DF12309
23" Electric Fireplace Insert
UPC 781052038677



DF12310
23" Electric Fireplace Insert
UPC 781052049406



DF123TRIMX
Trim Kit for
DF12309 & DF12310
UPC 781052039285

Featuring **Optiflame** technology.

The most popular electric flame technology, developed by Dimplex to create a cozy and safe fire effect.



Log Set and Insert Specifications

Series	Revillusion Log Set	Revillusion Log Set	DFI Insert	DFI Insert
Model	RLG20	RLG25	DFI2309	DFI2310
Firebox Size	20"	25"	23"	23"
Ember Bed	Realogs®	Realogs®	Lifelike Logs	Inner Glow Logs
Brightness & Flicker	•	•		
360° Light	•	•		
Colour Settings		Adjust the flame base color to red or blue		
Flame Only	•	•		•
Heat Only	•	•		•
Heater Element	Ceramic	Ceramic	Steel Sheathed	Steel Sheathed
Heat Operation	Supplemental heating	Supplemental heating	Supplemental heating	Supplemental heating
Flame Technology	Revillusion	Revillusion	Dimplex	Dimplex
Flame Effect	Optiflame	Optiflame	Optiflame	Optiflame
Installation	Masonry Log Set	Masonry Log Set	Masonry Insert	Masonry Insert
Volts	120	120	120	120
Wattage	1500	1500	1375	1375
BTU	5118	5118	4695	4695
Wiring	Plug-in	Plug-in	Plug-in	Plug-in
Heating Range	1,000 sq. ft.	1,000 sq. ft.	400 sq. ft.	1,000 sq. ft.
Display/Controls	Membrane Remote	Membrane Remote	Switch Remote	Switch Remote
Remote Features	Multi-function	Multi-function	On/Off	On/Off
Warranty	1-year limited	2-year limited	1-year limited	1-year limited
Accessories	Ash Mat		Trim Kit	Trim Kit
Dimensions (WxHxD)	23-3/4 × 19 × 12-1/2 in 60.3 × 48.2 × 31.7 cm	25-5/8 × 19 × 13 in 65.0 × 48.2 × 32.9 cm	23-1/4 × 19-1/2 × 10-3/4 in 58.9 × 49.5 × 27.0 cm	23-1/4 × 19-1/2 × 10-3/4 in 58.9 × 49.5 × 27.0 cm



Electric fireplace mantels offer a blend of style and practicality that can transform any living space. These fireplaces are incredibly convenient to install and come in multiple designs and finishes to blend seamlessly with any décor. Fireplace mantels combine the timeless charm of a mantel with the modern convenience of electric heating, making them a popular choice for homeowners seeking both ambiance and functionality in their spaces.

The electric fireplaces within the mantel require no maintenance and offer the flexibility to run year-round with or without heat. They also ensure the safety of everyone around them, especially pets and children, as they remain cool to the touch.



Featherston

Electric Fireplace Mantel



Realistic Charm

The faux ledgerrock finish, combined with rustic pine accents create the perfect addition to both traditional and modern styles.

Cozy Aesthetic

With its flickering flames and adjustable warmth, create an ambiance that invites relaxation and comfort into any space.

Simple Comfort

Instantly transform any space into a cozy retreat with effortless installation and plug-in warmth.

Key Benefits



GDS28L8-1152LR
 Featherston Electric
 Fireplace Mantel

Product Dimensions (WxHxD)
 61 × 44 × 15-5/8 in
 155.0 × 111.7 × 39.5 cm

Carton Dimensions (WxHxD)
 63-7/8 × 14-3/4 × 24-1/8 in
 162.3 × 37.3 × 61.2 cm

Packaged Weight
 178.2 lbs / 80.8 kg

UPC
 781052122666



Includes:
XHD28L
 28" Nova Firebox

Product Dimensions (WxHxD)
 27-3/8 × 23-1/2 × 7-1/2 in
 69.5 × 59.7 × 18.9 cm

Carton Dimensions (WxHxD)
 30 × 26-7/8 × 11-1/8 in
 76.0 × 68.0 × 28.0 cm

Packaged Weight
 36.5 lbs / 16.6 kg

UPC
 781052110847

Mantel and firebox ships in two cartons



Fieldstone
Electric Fireplace Mantel



Rustic Charm

Bring the feeling of a cozy, rustic retreat into any space by recreating the look of a traditional stone mantel with wood accents.

Commanding Centerpiece

With its impressive design and mesmerizing flames, create the focal point in any room.

Simple Comfort

Instantly transform any space into a cozy retreat with effortless installation and plug-in warmth.



GDS28L8-904ST
Fieldstone Electric
Fireplace Mantel

Product Dimensions (WxHxD)
54-5/8 × 42-5/8 × 12-7/8 in
138.8 × 108.3 × 32.7 cm

Carton Dimensions (WxHxD)
22-5/8 × 58-1/8 × 14-7/8 in
57.5 × 147.5 × 37.5 cm

Packaged Weight
142 lbs / 64.3 kg

UPC
781052122659



Includes:
XHD28L
28" Nova Firebox

Product Dimensions (WxHxD)
27-3/8 × 23-1/2 × 7-1/2 in
69.5 × 59.7 × 18.9 cm

Carton Dimensions (WxHxD)
30 × 26-7/8 × 11-1/8 in
76.0 × 68.0 × 28.0 cm

Packaged Weight
36.5 lbs / 16.6 kg

UPC
781052110847

Mantel and firebox ships in two cartons



Royce
Electric Fireplace Mantel



Traditional Design
The vintage crown moldings, classically crafted pilasters, and breakfront facade add depth and character to the classic mantel style.

Timeless Focal Point
The brick-look finish and classic accents, create a stunning base for treasured memories.

Simple Comfort
Instantly transform any space into a cozy retreat with effortless installation and plug-in warmth.

Key Benefits



GDS28L8-1924SK
Royce Electric
Fireplace Mantel

Product Dimensions (WxHxD)
52 × 37-3/8 × 12-3/8 in
132.0 × 94.8 × 31.5 cm

Carton Dimensions (WxHxD)
55-1/8 × 14-7/8 × 17-1/8 in
140.0 × 37.5 × 43.5 cm

Packaged Weight
71.5 lbs / 32.4 kg

UPC
781052121447



Includes:
XHD28L
28" Nova Firebox

Product Dimensions (WxHxD)
27-3/8 × 23-1/2 × 7-1/2 in
69.5 × 59.7 × 18.9 cm

Carton Dimensions (WxHxD)
30 × 26-7/8 × 11-1/8 in
76.0 × 68.0 × 28.0 cm

Packaged Weight
36.5 lbs / 16.6 kg

UPC
781052110847

Mantel and firebox ships in two cartons



Dimplex[®]

Experience Better Living.

Experience
Comfort



DC Dimplex[®]

Experience Better Living.